



PONDEROSA
PACKAGING

PRODUCT CATALOG
2025

TABLE OF CONTENTS

Flex Vault	3
Pallets	6
Paperboard & Chipboard	7
Corrugated	8

Category

FLEX VAULT®

formerly S.U.R.E.-Pak

Flex Vault is a reusable, collapsible, nestable, stackable, bulk storage container system with four-way forklift entrance capability.



01 Name Flex Vault Kit w/24" Sleeve
NSN # 8115-01-556-2579
Part # FV2579
Style KIT

Flex Vault 24" Kit, Consisting of 48 x 40 Plastic Pallet Base, 48 x 40 plastic top, 48 x 40 x 24" Triple wall liner with 8 twist lock clips conveniently attached. Each Kit holds 2,000 LBS.



02 Name Flex Vault Kit w/30" Sleeve
NSN # 8115-01-556-2580
Part # FV2580
Style KIT

Flex Vault 30" Kit, Consisting of 48 x 40 Plastic Pallet Base, 48 x 40 plastic top, 48 x 40 x 30" Triple wall liner with 8 twist lock clips conveniently attached. Each Kit holds 2,000 LBS.



03 Name Flex Vault Kit w/45" Sleeve
NSN # 8115-01-556-2581
Part # FV2581
Style KIT

Flex Vault 45" Kit, Consisting of 48 x 40 Plastic Pallet Base, 48 x 40 plastic top, 48 x 40 x 45" Triple wall sleeve with 8 twist lock clips conveniently attached. Each Kit holds 2,000 LBS.



04 Name Flex Vault 30" TW Sleeve
NSN # 8115-01-444-0197
Part # 444-0197
Style COMPONENT

Size: 48" x 40" x 30", Flex Vault Triple Wall Corrugated Sleeve with Z-Fold Design. COLOR: White; 1500 Grade, Weather Resistant, Reusable Fiberboard, 8 Peanut Locking Clips conveniently attached. For Use with Flex Vault Top (444-0211) and FlexVault Base (444-0206).



05 Name Flex Vault 45" TW Sleeve
NSN # 8115-01-444-0198
Part # 444-0198
Style COMPONENT

SIZE: 48" x 40" x 45", Flex Vault Triple Wall Corrugated Sleeve with Z-Fold Design, NO drop panel access door, COLOR: White; 1500 Grade, Weather Resistant, Reusable Fiberboard, 8 Peanut Locking Clips conveniently attached. For Use with Flex Vault Top (444-0211) and Flex Vault Base (444-0206).



06 Name Flex Vault 45" Sleeve w/Door
NSN # 8115-01-444-0212
Part # 444-0212
Style COMPONENT

SIZE: 48" x 40" x 45", Flex Vault Triple Wall Corrugated Sleeve with Z-Fold Design, drop panel access door. COLOR: White; 1500 Grade, Weather Resistant, Reusable Fiberboard, 8 Locking Clips conveniently attached. For Use with Flex Vault Top (444-0211) and Flex Vault Base (444-0206).

Category

FLEX VAULT®

formerly S.U.R.E.-Pak



8115-01-444-0206

8115-01-582-9711 Set
Consist of:
8115-01-444-0211 Cover
8115-01-582-9711 Sleeve
8115-01-444-0206 Base

07 Name **Flex Vault 20.5" TW Sleeve**
NSN # 8115-01-580-9475
Part # 580-9475
Style COMPONENT

SIZE: 48" x 40" x 20.5", Flex Vault Triple Wall Corrugated Sleeve w/Z-Fold Design, White Color; 1500 Grade, Weather Resistant, Reusable Fiberboard, 8 Peanut Locking Clips conveniently attached. For Use w/Flex Vault Top (444-0211) and FlexVault Base (444-0206).

08 Name **Flex Vault 20.5" TW Sleeve**
NSN # 8115-01-580-9476
Part # 580-9476
Style COMPONENT

SIZE: 48" x 40" x 20.5", Flex Vault Triple Wall Corrugated Sleeve w/Z-Fold Design, Blue Color; 1500 Grade, Weather Resistant, Reusable Fiberboard, 8 Peanut Locking Clips conveniently attached. For Use with Flex Vault Top (444-0211) and FlexVault Base (444-0206).

09 Name **Flex Vault Plastic Base, 48x40**
NSN # 8115-01-444-0206
Part # 444-0206
Style COMPONENT

SIZE: 48"L X 40"W (IN), P/N 0206. The Flex Vault Black Plastic Pallet/Base is nestable, reusable, fire retardant, constructed of thermoformed high-density polyethylene with 4-way forklift entrance capability and drain holes. For use with Flex Vault sleeves (580-9475, 580-9476, 444-0198, 444-0197 and 444-0212) and Top/Cover (444-0211).

10 Name **Flex Vault Cover, 48X40**
NSN # 8115-01-444-0211
Part # 444-0211
Style COMPONENT

SIZE: 48"L X 40"W (IN), P/N 444-0211. The Flex Vault Black Plastic Top/Cover is nestable, reusable, fire retardant, constructed of thermoformed high-density polyethylene. Weighs 15-lbs. For use with Flex Vault sleeves (580-9475, 580-9476, 444-0198, 444-0197 and 444-0212) and Pallet/Base (444-0206).

11 Name **Flex Vault 50" Euro Plastic Kit**
NSN # 8115-01-582-9710
Part # 582-9710
Style SET

FlexVault 50" Kit, Consisting of 48" x 32" Plastic Pallet Base, 48" x 32" plastic top, 48" x 32" x 50" Corrugated Gray Plastic sleeve with 8 peanut locking clips conveniently attached. This collapsible and reusable container made of injection molding and a polypropylene top and bottom for strength and durability.

12 Name **Flex Vault 36" Plastic Kit**
NSN # 8115-01-582-9711
Part # 582-9711
Style SET

Flex Vault 36" Kit, Consisting of 48" x 40" Plastic Pallet Base, 48" x 40" plastic top, 48" x 40" x 36" Corrugated Gray Plastic sleeve with Drop Panel and 8 peanut locking clips conveniently attached. This collapsible and reusable container made of injection molding and a polypropylene top and bottom for strength and durability. For Use with Flex Vault Top (444-0211) and FlexVault Base (444-0206).

Category

FLEX VAULT®

formerly S.U.R.E.-Pak

13

Custom

NSN #
Part #
Style

Custom
Custom
Custom

Custom Flex Vault configurations are available upon request, Consisting of 48" x 40" Plastic Pallet Base, 48" x 40" plastic top coupled with customized sleeve sizes with/without Drop Panel and 8 peanut locking clips conveniently attached. This collapsible and reusable container made of triple-wall corrugated or plastic sleeves and polypropylene top/bottom for strength and durability.



FlexVault Kit



FV2581



FV2579



FV2580

Category

PALLETS



48x32 Euro Pallet



48x40 Wood Pallet

- | | | |
|-----------|--------------------------------|---|
| 01 | Plastic Pallet-Reg Duty | Size: 48"L x 40"W x 6"H, Capacity: 3,000 lbs. dynamic load.
Overall weight: 22 lbs. Matte Black plastic pallet features four-way entry and is nestable, fire-retardant and reusable. Twin-sheet thermoforming method to provide for lighter weight. Made of thermoformed high-density polyethylene. Pallets are designed for general use with a fork lift. |
| NSN # | 8115-01-535-0150 | |
| Part # | 535-0150 | |
| Style | PALLET | |
| 02 | 48x40 Wood Pallet | Size: 48"L x 40"W, Heat Treated Four Way Wood Pallet. |
| Part # | 48x40HT | |
| Style | PALLET | |
| 03 | 48x32 EURO Pallet | Size: 48"L x 32"W, Heat Treated Four Way Wood Pallet. |
| Part # | 48x32EURO | |
| Style | PALLET | |
| 04 | Custom | Custom FlexVault plastic parts manufacturing are available upon request, in multiple substrates (HDPE, LDPE, etc.) Twin sheet thermoforming, injection molding, and other manufacturing processes available upon request. |
| Part # | Custom | |
| Style | Custom | |



Plastic Pallet-Reg Duty

Category

PAPER & CHIP BOARD



Lunch Box Folding Carton
8115-00-527-2302

01

**Lunch Box
Folding Carton**

NSN #
Part #
Style

8115-00-527-2302
527-2302
Folding Carton

Size: 6" W x 10" L x 4" D, Paperboard lunch carton is strong enough to hold up to 20 pounds of food. Carton features a collapsible one-piece fold-tuck top which is glued on the bottom and sides. The box is not water-resistant.

02

Custom

NSN #
Part #
Style

Custom
Custom
Custom

Custom Paperboard product manufacturing available in any size or configuration.



Category

CORRUGATED

SINGLE WALL

Cardboard boxes are industrially prefabricated, primarily used for packing and shipping of goods and materials.



01	23 ½ x 15 x 15 FOL	SIZE: 23-1/2" x 15" x 15" – special full-flap, single-wall slotted box has a bursting strength of 350 psi. Outer flaps overlap the full length of the box; inner flaps meet in the center. Style SFF. Maximum weight of box and contents is 120 lbs. IAW ASTM 5118 cardboard boxes are industrially prefabricated boxes, primarily used for packing and shipping of goods and materials.
NSN #	8115-00-179-0550	
Part #	179-0550	
Style	SINGLE WALL	
02	20 x 20 x 20 RSC	SIZE: 20" X 20" X 20" – regular slotted carton (RSC), ECT 44, single wall box, shipping, 15 per bundle. Regular slotted cartons feature four flaps on the top and bottom (outer flaps meet when closed).
NSN #	8115-00-079-8823	
Part #	079-8823	
Style	SINGLE WALL	
03	7 x 5 x 40 RSC	SIZE: 7" x 5" x 40" – regular slotted carton (RSC) features four flaps on top and on bottom (outer flaps meet when closed) 15 per bundle.
NSN #	8115-00-079-9015	
Part #	079-9015	
Style	SINGLE WALL	
04	20 x 20 x 20 RSC	SIZE: 20" x 20" x 20" – features single-wall construction and is regular slotted carton. Corrugated box's exterior is white with a printed recycled logo. Larger flaps include printed sections, each with four lines, for addressing the package. Fiberboard container has a bursting strength of 200 psi.
NSN #	8115-01-386-2238	
Part #	386-2238	
Style	SINGLE WALL	
05	12 x 12 x 12 RSC	SIZE: 12" x 12" x 12" – Multi-depth, single-wall corrugated, regular slotted carton. Sides are creased at intervals – just cut to the creased height needed, fold down and you have a custom size carton. Recommended for shipping up to 40lbs. Fiberboard container has a bursting strength of 200 psi.
NSN #	8115-01-598-1651	
Part #	598-1651	
Style	SINGLE WALL	
06	18 x 15 x 11 RSC	SIZE: 18" x 15" x 11" – Single-wall corrugated, regular slotted carton. Has a bursting strength of 275 psi/ 44 etc. Style RSC. Maximum weight of box and contents is 95 lbs.
NSN #	8115-00-079-8788	
Part #	079-8788	
Style	SINGLE WALL	
07	18 x 12 x 10 RSC	SIZE: 18" x 12" x 10" – Single-wall corrugated, regular slotted carton. Has a bursting strength of 275 psi. Style RSC. Maximum weight of box and contents is 95 lbs.
NSN #	8115-00-179-0579	
Part #	179-0579	
Style	SINGLE WALL	
08	9 x 9 x 9 RSC	SIZE: 9" x 9" x 9" – Regular-slotted box has a bursting strength of 275 psi. Features four flaps on top and on bottom; outer flaps meet when closed.
NSN #	8115000798459	
Part #	079-8459	
Style	SINGLE WALL	
09	32 x 15 x 15 RSC	SIZE: 32" x 15" x 15" – Regular-slotted box has a bursting strength of 275 psi. Features four flaps on top and on bottom; outer flaps meet when closed.
NSN #	8115000798682	
Part #	8115000798682	
Style	SINGLE WALL	

Category

CORRUGATED

SINGLE WALL



8115000798697



8115001178338

10 12 x 12 x 9 RSC

NSN # 8115000798680
Part # 8115000798680
Style SINGLE WALL

SIZE: 12" x 12" x 9" – Regular-slotted box has a bursting strength of 275 psi. Features four flaps on top and on bottom; outer flaps meet when closed.

11 14 x 14 x 10 RSC

NSN # 8115000798682
Part # 8115000798682
Style SINGLE WALL

SIZE: 14" x 14" x 10" – Regular-slotted box has a bursting strength of 275 psi. Features four flaps on top and on bottom; outer flaps meet when closed.

12 8 x 8 x 16 RSC

NSN # 8115000798693
Part # 8115000798693
Style SINGLE WALL

SIZE: 8" x 8" x 16" – Regular-slotted box has a bursting strength of 275 psi. Features four flaps on top and on bottom; outer flaps meet when closed.

13 16.5 x 12 x 10 RSC

NSN # 8115000798697
Part # 8115000798697
Style SINGLE WALL

SIZE: 16.5" x 12" x 10" – Regular-slotted box has a bursting strength of 275 psi. Features four flaps on top and on bottom; outer flaps meet when closed.

14 16 x 16 x 16 RSC

NSN # 8115000798745
Part # 8115000798745
Style SINGLE WALL

SIZE: 16" x 16" x 16" – Regular-slotted box has a bursting strength of 275 psi. Features four flaps on top and on bottom; outer flaps meet when closed.

15 18 x 15 x 11 RSC

NSN # 8115000798788
Part # 8115000798788
Style SINGLE WALL

SIZE: 18" x 15" x 11" – Regular-slotted box has a bursting strength of 275 psi. Features four flaps on top and on bottom; outer flaps meet when closed.

16 24 x 12.5 x 10 RSC

NSN # 8115000798825
Part # 8115000798825
Style SINGLE WALL

SIZE: 24" x 12.5" x 10" – Regular-slotted box has a bursting strength of 275 psi. Features four flaps on top and on bottom; outer flaps meet when closed.

17 24 x 17 x 13 RSC

NSN # 8115000798879
Part # 8115000798879
Style SINGLE WALL

SIZE: 24" x 17" x 13" – Regular-slotted box has a bursting strength of 275 psi. Features four flaps on top and on bottom; outer flaps meet when closed.

18 14.75 x 9.5 x 4.875

NSN # 8115001178338
Part # 8115001178338
Style SINGLE WALL

SIZE: 14.75" x 9.5" x 4.875" – Regular-slotted box has a bursting strength of 200 psi. Features four flaps on top and on bottom; outer flaps meet when closed.

Category

CORRUGATED

SINGLE WALL



8115001790566



8115001790571

19	24 x 12 x 24 RSC
NSN #	8115001790547
Part #	8115001790547
Style	SINGLE WALL
20	6 x 6 x 10 RSC
NSN #	8115001790566
Part #	8115001790566
Style	SINGLE WALL
21	8 x 8 x 8 RSC
NSN #	8115001790568
Part #	8115001790568
Style	SINGLE WALL
22	10 x 8 x 6 RSC
NSN #	8115001790570
Part #	8115001790570
Style	SINGLE WALL
23	10 x 10 x 6 RSC
NSN #	8115001790571
Part #	8115001790571
Style	SINGLE WALL
24	12 x 10 x 8 RSC
NSN #	8115001790575
Part #	8115001790575
Style	SINGLE WALL
25	16 x 10 x 8 RSC
NSN #	8115001790578
Part #	8115001790578
Style	SINGLE WALL
26	18 x 12 x 10 RSC
NSN #	8115001790579
Part #	8115001790579
Style	SINGLE WALL
27	18 x 14 x 18 RSC
NSN #	8115001790580
Part #	8115001790580
Style	SINGLE WALL

SIZE: 24" x 12" x 24" – Regular-slotted box has a bursting strength of 275 psi. Features four flaps on top and on bottom; outer flaps meet when closed.

SIZE: 6" x 6" x 10" – Regular-slotted box has a bursting strength of 125 psi. Features four flaps on top and on bottom; outer flaps meet when closed.

SIZE: 8" x 8" x 8" – Regular-slotted box has a bursting strength of 125 psi. Features four flaps on top and on bottom; outer flaps meet when closed.

SIZE: 10" x 8" x 6" – Regular-slotted box has a bursting strength of 200 psi. Features four flaps on top and on bottom; outer flaps meet when closed.

SIZE: 10" x 10" x 6" – Regular-slotted box has a bursting strength of 200 psi. Features four flaps on top and on bottom; outer flaps meet when closed.

SIZE: 12" x 10" x 8" – Regular-slotted box has a bursting strength of 200 psi. Features four flaps on top and on bottom; outer flaps meet when closed.

SIZE: 16" x 10" x 8" – Regular-slotted box has a bursting strength of 275 psi. Features four flaps on top and on bottom; outer flaps meet when closed.

SIZE: 18" x 12" x 10" – Regular-slotted box has a bursting strength of 275 psi. Features four flaps on top and on bottom; outer flaps meet when closed.

SIZE: 18" x 14" x 18" – Regular-slotted box has a bursting strength of 275 psi. Features four flaps on top and on bottom; outer flaps meet when closed.

Category

CORRUGATED

SINGLE WALL



8115002903365



8115002903380

28 12 x 8 x 6 RSC

NSN # 8115002813889
Part # 8115002813889
Style SINGLE WALL

SIZE: 12" x 8" x 6" – Regular-slotted box has a board grade of V3C. Features four flaps on top and on bottom; outer flaps meet when closed.

29 6 x 5 x 7 RSC

NSN # 8115002903364
Part # 8115002903364
Style SINGLE WALL

SIZE: 6" x 5" x 7" – Regular-slotted box has a bursting strength of 200 psi. Features four flaps on top and on bottom; outer flaps meet when closed.

30 8 x 4 x 4 RSC

NSN # 8115002903365
Part # 8115002903365
Style SINGLE WALL

SIZE: 8" x 4" x 4" – Regular-slotted box has a bursting strength of 200 psi. Features four flaps on top and on bottom; outer flaps meet when closed.

31 10 x 6 x 8 RSC

NSN # 8115002903369
Part # 8115002903369
Style SINGLE WALL

SIZE: 10" x 6" x 8" – Regular-slotted box has a bursting strength of 200 psi. Features four flaps on top and on bottom; outer flaps meet when closed.

31 13 x 7 x 10.5 RSC

NSN # 8115002903371
Part # 8115002903371
Style SINGLE WALL

SIZE: 13" x 7" x 10.5" – Regular-slotted box has a bursting strength of 200 psi. Features four flaps on top and on bottom; outer flaps meet when closed.

33 13 x 12 x 8.5 RSC

NSN # 8115002903373
Part # 8115002903373
Style SINGLE WALL

SIZE: 13" x 12 x 8.5" – Regular-slotted box has a bursting strength of 200 psi. Features four flaps on top and on bottom; outer flaps meet when closed.

34 13 x 13 x 24 RSC

NSN # 8115002903374
Part # 8115002903374
Style SINGLE WALL

SIZE: 13" x 13" x 24" – Regular-slotted box has a bursting strength of 200 psi. Features four flaps on top and on bottom; outer flaps meet when closed.

35 14 x 14 x 8 RSC

NSN # 8115002903376
Part # 8115002903376
Style SINGLE WALL

SIZE: 14" x 14" x 8" – Regular-slotted box has a bursting strength of 200 psi. Features four flaps on top and on bottom; outer flaps meet when closed.

36 15 x 15 x 28 RSC

NSN # 8115002903380
Part # 8115002903380
Style SINGLE WALL

SIZE: 15" x 15" x 28" – Regular-slotted box has a bursting strength of 200 psi. Features four flaps on top and on bottom; outer flaps meet when closed.

Category

CORRUGATED

SINGLE WALL



8115016937123



8115016937592

37	25 x 20 x 5 RSC	SIZE: 25" x 20" x 5" – Regular-slotted box has a bursting strength of 200 psi. Features four flaps on top and on bottom; outer flaps meet when closed.
NSN # Part # Style	8115002903394 8115002903394 SINGLE WALL	
38	14 x 14 x 14 RSC	SIZE: 14" x 14" x 14" – Regular-slotted box has a bursting strength of 200 psi. Features four flaps on top and on bottom; outer flaps meet when closed.
NSN # Part # Style	8115016937123 8115016937123 SINGLE WALL	
39	24 x 18 x 18 RSC	SIZE: 24" x 18" x 18" – Regular-slotted box has a bursting strength of 200 psi. Features four flaps on top and on bottom; outer flaps meet when closed.
NSN # Part # Style	8115016937597 8115016937597 SINGLE WALL	
40	24 x 16 x 16 RSC	SIZE: 24" x 16" x 16" – Regular-slotted box has a bursting strength of 275 psi. Features four flaps on top and on bottom; outer flaps meet when closed.
NSN # Part # Style	8115016937637 8115016937637 SINGLE WALL	
41	24 x 18 x 12 RSC	SIZE: 24" x 18" x 12" – Regular-slotted box has a bursting strength of 275 psi. Features four flaps on top and on bottom; outer flaps meet when closed.
NSN # Part # Style	8115016937638 8115016937638 SINGLE WALL	
42	30 x 30 x 30 RSC	SIZE: 30" x 30" x 30" – Regular-slotted box has a bursting strength of 275 psi. Features four flaps on top and on bottom; outer flaps meet when closed.
NSN # Part # Style	8115016940622 8115016940622 SINGLE WALL	
43	36 x 24 x 24 RSC	SIZE: 36" x 24" x 24" – Regular-slotted box has a bursting strength of 200 psi. Features four flaps on top and on bottom; outer flaps meet when closed.
NSN # Part # Style	8115016941015 8115016941015 SINGLE WALL	
44	17 x 13 x 5 RSC	SIZE: 17" x 13" x 5" – Regular-slotted box has a bursting strength of 200 psi. Features four flaps on top and on bottom; outer flaps meet when closed.
NSN # Part # Style	8115016937592 8115016937592 SINGLE WALL	
45	16 x 12 x 12 RSC	SIZE: 16" x 12" x 12" – Regular-slotted box has a bursting strength of 275 psi. Features four flaps on top and on bottom; outer flaps meet when closed.
NSN # Part # Style	8115016937622 8115016937622 SINGLE WALL	
46	12 x 12 x 60 RSC	SIZE: 12" x 12" x 60" – Regular-slotted box has a bursting strength of 200 psi. Features four flaps on top and on bottom; outer flaps meet when closed.
NSN # Part # Style	8115016937875 8115016937875 SINGLE WALL	

Category

CORRUGATED

DOUBLE WALL



TRIPLE WALL



8115-00-774-6562

47	14 3/4 x 11 3/4 x 11 3/4 RSC	SIZE: 14-3/4" X 11-3/4" X 11-3/4", Regular Slotted Carton (RSC), Double Wall (DW) Stitched Mottled White (MW), Storage Box 25 per Bundle. Regular Slotted Cartons feature four flaps on the top and bottom (outer flaps meet when closed).
NSN #	8115-00-117-8347	
Part #	117-8347	
Style	DOUBLE WALL	
48	43 x 31 3/4 x 35 1/4 RSC	SIZE: 43" x 31-3/4" x 35-1/4", Features double-wall construction and is regular slotted.
NSN #	8115-00-935-5896	
Part #	935-5896	
Style	DOUBLE WALL	
49	24 x 24 x 24 RSC	SIZE: 24" x 24" x 24" - Regular-slotted box has a bursting strength of 275 psi. Features four flaps on top and on bottom; outer flaps meet when closed.
NSN #	8115016961572	
Part #	8115016961572	
Style	DOUBLE WALL	
50	21 x 11.75 x 17.25 RSC	SIZE: 21" x 11.75" x 17.25" - Regular-slotted box has a bursting strength of 275 psi. Features four flaps on top and on bottom; outer flaps meet when closed.
NSN #	8115016961582	
Part #	8115016961582	
Style	DOUBLE WALL	
51	48 x 40 x 36 RSC	SIZE: 48" X 40" X 36", Regular Slotted Carton (RSC), 1100#, Triple Wall (TW), Corrugated Fiberboard Weather Resistant Shipping Box. Regular Slotted Cartons feature four flaps on the top and bottom (outer flaps meet when closed).
NSN #	8115-00-774-6562	
Part #	774-6562	
Style	TRIPLE WALL	
52	48 x 40 x 36 HSC	SIZE: 48" X 40" X 36", Half Slotted Carton (HSC) w/ Cover, 1100#, Triple Wall (TW), Corrugated Fiberboard Weather Resistant Shipping Box. Half Slotted Cartons feature four flaps on the bottom only (outer flaps meet when closed).
NSN #	8115-00-935-1140	
Part #	935-1140	
Style	TRIPLE WALL	
53	48 x 40 x 28 1/4 HSC	SIZE: 48" X 40" X 28-1/4", Half Slotted Carton (HSC) w/ Cover, 1100#, Triple Wall (TW), Corrugated Fiberboard Weather Resistant Shipping Box. Half Slotted Cartons feature four flaps on the bottom only (outer flaps meet when closed).
NSN #	8115-00-782-1695	
Part #	782-1695	
Style	TRIPLE WALL	
54	45 x 32 x 28 1/4 HSC w/Lid	SIZE: 45" X 32" X 28-1/4", Half Slotted Carton (HSC) w/ Cover, 1100#, Triple Wall (TW), Corrugated Fiberboard Weather-Resistant Shipping Box. Half Slotted Cartons feature four flaps on the bottom only (outer flaps meet when closed).
NSN #	8115-00-753-4690	
Part #	753-4690	
Style	TRIPLE WALL	
55	58 x 32 x 28 1/4 HSC	SIZE: 58" X 32" X 28-1/4", Half Slotted Carton (HSC) w/ Cover, 1100#, Triple Wall (TW), Corrugated Fiberboard Weather Resistant Shipping Box. Half Slotted Cartons feature four flaps on the bottom only (outer flaps meet when closed).
NSN #	8115-00-753-4691	
Part #	753-4691	
Style	TRIPLE WALL	

Category

CORRUGATED

TRIPLE WALL



8115-00-901-6428



56	46 7/8 x 38 7/8 x 36 HSC	SIZE: 46-7/8" x 38-7/8" x 36", Half-regular-slotted box has short top flaps and a cover. Side of box reads: "REUSABLE CONTAINER RETURN TO:" This weather-resistant corrugated fiberboard box is ideal for shipping or storage under extreme weather conditions and high humidity. Features include triple-wall construction and high-stacking strength. Bursting strength of 1,100 psi nominal. Maximum weight of box and contents is 280 lbs.
NSN #	8115-00-926-4887	
Part #	926-4887	
Style	TRIPLE WALL	
57	46 7/8 x 38 7/8 x 42	SIZE: 46-7/8" X 38-7/8" X 42", Half Slotted Carton (HSC) w/ Cover, 1100#, Triple Wall (TW), Corrugated Fiberboard Weather Resistant, Shipping Box. Half Slotted Cartons feature four flaps on the bottom only (outer flaps meet when closed).
NSN #	8115-00-926-4888	
Part #	926-4888	
Style	TRIPLE WALL	
	46 7/8 x 38 7/8 x 36 HSC	
58	86 x 31 3/4 x 35 1/4 RSC	SIZE: 86" X 31-3/4" X 35-1/4", Regular Slotted Carton (RSC), 1100#, Triple Wall (TW), Corrugated Fiberboard Weather Resistant Shipping Box. Regular Slotted Cartons feature four flaps on the top and bottom (outer flaps meet when closed).
NSN #	8115-00-935-5904	
Part #	935-5904	
Style	TRIPLE WALL	
59	43 x 31 3/4 x 35 1/4 RSC	SIZE: 43" X 31-3/4" X 35-1/4", Regular Slotted Carton (RSC), 1100#, Triple Wall (TW), Corrugated Fiberboard Weather Resistant Shipping Box.
NSN #	8115-00-935-5906	
Part #	935-5906	
Style	TRIPLE WALL	
60	83 x 49 x 28 HSC with Lid	SIZE: 83" X 49" X 28" Half Slotted Carton (HSC), w/ Cover, 1100#, Triple Wall (TW) Weather Resistant Shipping Box. This corrugated, fiberboard box is designed for domestic and overseas consolidated shipment of aircraft parts, general supplies and equipment. Weather-resistant box comes unassembled, requiring only minimal construction. Maximum weight of box and contents is 280 lbs. Ships as a 1 HSC and 1 Top Cover.
NSN #	8115-00-901-6428	
Part #	901-6428	
Style	TRIPLE WALL	
61	47 1/2 x 39 1/2 x 28 Tube, with T/B	SIZE: 47-1/2" x 39-1/2" x 28", Sleeve has a double cover. Features triple-wall construction. This corrugated, fiberboard box is designed for domestic and overseas consolidated shipment of aircraft parts, general supplies and equipment. Weather-resistant box comes unassembled, requiring only minimal construction. Maximum weight of box and contents is 280 lbs. Ships as a set (1 TUBE, 1 Top Cover, 1 Bottom Cover).
NSN #	8115-00-901-6434	
Part #	901-6434	
Style	TRIPLE WALL	
61	47 1/2 x 39 1/2 x 28 HSC	SIZE: 47-1/2" X 39-1/2" X 28", Half Slotted Carton (HSC) w/ Cover, 1100#, Triple Wall (TW), Corrugated Fiberboard Weather Resistant Shipping Box. Half Slotted Cartons feature four flaps on the bottom only (outer flaps meet when closed).
NSN #	8115-00-901-6435	
Part #	901-6435	
Style	TRIPLE WALL	
63	23 x 23 x 23 RSC	SIZE: 23" X 23" X 23", Regular Slotted Carton (RSC), 1100#, Triple Wall (TW), Weather Resistant Shipping Box, 3 per Bundle. Regular Slotted Cartons feature four flaps on the top and bottom (outer flaps meet when closed).
NSN #	8115-00-579-8407	
Part #	579-8407	
Style	TRIPLE WALL	
64	24 x 24 x 14 3/4 RSC	SIZE: 24" x 24" x 14-3/4", Regular-slotted box. This weather-resistant corrugated fiberboard box is ideal for shipping or storage under extreme weather conditions and high humidity. Features include triple-wall construction and high-stacking strength. Bursting strength of 1,100 psi nominal. Maximum weight of box and contents is 280 lbs.
NSN #	8115-00-616-9151	
Part #	616-9151	
Style	TRIPLE WALL	

Category

CORRUGATED

TRIPLE WALL



8115-00-559-9998



8115-00-579-8461

65	NSN # Part # Style	46 7/8 x 38 7/8 x 15-13/16 HSC	8115-00-142-9594 142-9594 TRIPLE WALL	SIZE: 46 7/8" X 38 7/8" x 15 13/16"- Half Slotted Carton (HSC), w/ short top flaps and Cover, 1100#, Triple Wall, Weather Resistant. The following special markings are printed on the side: "Box, Modular Intermodal Container System, NSN, Series 2, SIZE B, Do Not Use Without Pallet." Half Slotted Cartons feature four flaps on the bottom only (outer flaps meet when closed).
66	NSN # Part # Style	43 x 22 x 34 RSC	8115-00-559-9998 559-9998 TRIPLE WALL	SIZE: 43" X 22" X 34", Regular Slotted Carton (RSC), 1100#, Triple Wall (TW), Weather Resistant Shipping Box, 2 per Bundle.
67	NSN # Part # Style	45 x 22 x 22 RSC	8115-00-559-9999 559-9999 TRIPLE WALL	SIZE: 45" X 22" X 22", Regular Slotted Carton (RSC), 1100#, Triple Wall (TW), Weather Resistant Shipping Box, 2 per Bundle.
68	NSN # Part # Style	46 x 46 x 22 RSC	8115-00-559-9996 559-9996 TRIPLE WALL	SIZE: 46" x 46" x 22",Regular-slotted box. Style RSC. This weather-resistant corrugated fiberboard box is ideal for shipping or storage under extreme weather conditions and high humidity. Features include triple-wall construction and high-stacking strength. Bursting strength of 1,100 psi nominal. Maximum weight of box and contents is 280 lbs. Contains 25% Recovered Fiber, Which Includes 25% Postconsumer Fiber.
69	NSN # Part # Style Item	38 x 14 x 20 RSC	8115-00-579-8461 579-8461 TRIPLE WALL	SIZE: 38" x 14" x 20",The following special markings are printed on the side: "REUSABLE CONTAINER RETURN TO" This weather-resistant corrugated fiberboard box is ideal for shipping or storage under extreme weather conditions and high humidity. Features include triple-wall construction and high-stacking strength. Bursting strength of 1,100 psi nominal. Maximum weight of box and contents is 280 lbs.
70	NSN # Part # Style	27 x 19 x 14 3/4 RSC	8115-00-616-9147 616-9147 TRIPLE WALL	SIZE: 27" x 19" x 14-3/4",Regular-slotted box. Style RSC. IAW ASTM 5168 This weather-resistant triple-wall corrugated fiberboard box is ideal for shipping or storage under extreme weather conditions and high humidity. Features include triple-wall construction and high-stacking strength. Bursting strength of 1,100 psi nominal. Maximum weight of box and contents is 280 lbs.
71	NSN # Part # Style	21 x 19 x 14 3/4 RSC	8115-00-616-9150 616-9150 TRIPLE WALL	SIZE: 21" x 19" x 14-3/4",Regular-slotted box. Style RSC. This weather-resistant triple-wall corrugated fiberboard box is ideal for shipping or storage under extreme weather conditions and high humidity. Features include triple-wall construction and high-stacking strength. Bursting strength of 1,100 psi nominal. Maximum weight of box and contents is 280 lbs.
72	NSN # Part # Style	43 1/2 x 18 1/2 x 13, RSC	8115-00-616-9154 616-9154 TRIPLE WALL	SIZE: 43-1/2" x 18-1/2" x 13",Regular-slotted box. Style RSC. This weather-resistant triple-wall corrugated fiberboard box is ideal for shipping or storage under extreme weather conditions and high humidity. Features include triple-wall construction and high-stacking strength. Bursting strength of 1,100 psi nominal. Maximum weight of box and contents is 280 lb.
73	NSN # Part # Style	58 x 43 x 35 1/4 RSC	8115-00-935-6510 935-6510 TRIPLE WALL	SIZE: 58" x 43" x 35-1/4",This weather-resistant corrugated fiberboard box is ideal for shipping or storage under extreme weather conditions and high humidity. Features include triple-wall construction and high-stacking strength. Bursting strength of 1,100 psi nominal. Maximum weight of box and contents is 280 lbs.

Category

CORRUGATED

TRIPLE WALL



8115-00-993-2791



8115-00-926-4886

74

47 1/2 x 39 1/2 x 35 1/2
HSC

NSN # 8115-00-953-0276
Part # 953-0276
Style TRIPLE WALL

SIZE: 47-1/2" x 39-1/2" x 35-1/2", Half-regular-slotted box has short top flaps and a cover. Side of box reads: "REUSABLE CONTAINER RETURN TO:". IAW ASTM 5168. This weather-resistant corrugated fiberboard box is ideal for shipping or storage under extreme weather conditions and high humidity. Features include triple-wall construction and high-stacking strength. Bursting strength of 1,100 psi nominal. Maximum weight of box and contents is 280 lbs.

75

40 x 28 x 28 RSC

NSN # 8115-00-993-2790
Part # 993-2790
Style TRIPLE WALL

SIZE: 40" x 28" x 28", Regular-slotted box. Style RSC. IAW ASTM 5168. This weather-resistant corrugated fiberboard box is ideal for shipping or storage under extreme weather conditions and high humidity. Features include triple-wall construction and high-stacking strength. Bursting strength of 1,100 psi nominal. Maximum weight of box and contents is 280 lbs.

76

30 x 30 x 30 RSC

NSN # 8115-00-993-2791
Part # 993-2791
Style TRIPLE WALL

SIZE: 30" x 30" x 30", This weather-resistant corrugated fiberboard box is ideal for shipping or storage under extreme weather conditions and high humidity. Features include triple-wall construction and high-stacking strength. Bursting strength of 1,100 psi nominal. Maximum weight of box and contents is 280 lbs.

77

48 x 40 x 42 RSC

NSN # 8115016960833
Part # 8115016960833
Style TRIPLE WALL

SIZE: 48" x 40" x 42" - Regular-slotted box has a bursting strength of 1100 psi. Features four flaps on top and on bottom; outer flaps meet when closed.

78

48 x 25 x 23 RSC

NSN # 8115016960840
Part # 8115016960840
Style TRIPLE WALL
N/A

SIZE: 48" x 25" x 23" - Regular-slotted box has a bursting strength of 1100 psi. Features four flaps on top and on bottom; outer flaps meet when closed.

79

46 7/8 x 38 7/8 x 26 HSC

NSN # 8115-00-926-4886
Part # 926-4886
Style TRIPLE WALL

SIZE: 46-7/8" x 38-7/8" x 26", Half-regular-slotted box has short top flaps and a cover. Side of box reads: "REUSABLE CONTAINER RETURN TO:". This weather-resistant corrugated fiberboard box is ideal for shipping or storage under extreme weather conditions and high humidity. Features include triple-wall construction and high-stacking strength. Bursting strength of 1,100 psi nominal. Maximum weight of box and contents is 280 lbs.

Category

CORRUGATED

GOVERNMENT BOARD



8115-00-417-9321



8115-00-183-9496

80	8 X 8 X 12 RSC	SIZE: 8" x 8" x 12", Regular-slotted box has a bursting strength of 400 psi, has a board grade of V3C. Features four flaps on top and on bottom; outer flaps meet when closed. Single-walled weather-resistant box.
NSN # Part # Style	8115-00-281-3882 281-3882 GOVERNMENT BOARD	
81	14 X 14 X 14 RSC	SIZE: 14" X 14" X 14", Regular-slotted box has a bursting strength of 400 psi, has a board grade of V3C. Features four flaps on top and on bottom; outer flaps meet when closed. Single-walled weather-resistant box.
NSN # Part # Style	8115-00-417-9321 417-9321 GOVERNMENT BOARD	
82	10 X 10 X 16 RSC	SIZE: 10" x 10" x 16", Regular-slotted box has a bursting strength of 400 psi, has a board grade of V3C. Features four flaps on top and on bottom; outer flaps meet when closed. Single-walled weather-resistant box.
NSN # Part # Style	8115-00-417-9414 417-9414 GOVERNMENT BOARD	
83	4 x 4 x 12 RSC	SIZE: 4" x 4" x 12", Regular-slotted box has a bursting strength of 400 psi, has a board grade of V3C. Features four flaps on top and on bottom; outer flaps meet when closed. Single-walled weather-resistant box.
NSN # Part # Style	8115-00-418-4660 418-4660 GOVERNMENT BOARD	
84	26 X 12 X 10 RSC	SIZE: 26" x 12" x 10", Regular-slotted box has a board grade of V3C. Features four flaps on top and on bottom; outer flaps meet when closed. Single-walled weather-resistant box.
NSN # Part # Style	8115-01-166-6449 166-6449 GOVERNMENT BOARD	
85	10 X 6 X 4 RSC	SIZE: 10" x 6" x 4", Regular-slotted box has a bursting strength of 275 psi, has a board grade of W5C. Features four flaps on top and on bottom; outer flaps meet when closed. Maximum weight of box and contents is 95 lbs. Single-walled weather-resistant box.
NSN # Part # Style	8115-00-183-9496 183-9496 GOVERNMENT BOARD	
86	8 x 8 x 10 RSC	SIZE: 8" x 8" x 10", Regular-slotted box has a bursting strength of 275 psi, has a board grade of W5C. Features four flaps on top and on bottom; outer flaps meet when closed. Maximum weight of box and contents is 95 lbs. Single-walled weather-resistant box.
NSN # Part # Style	8115-00-183-9499 183-9499 GOVERNMENT BOARD	
87	12.5 x 9.625 x 6 RSC	SIZE: 12.5" x 9.625" x 6" - Regular-slotted box has a board grade of V3C. Features four flaps on top and on bottom; outer flaps meet when closed. Single-walled weather-resistant box.
NSN # Part # Style	8115005142404 8115005142404 GOVERNMENT BOARD	
88	8 X 4 X 4 RSC	SIZE: 8" x 4" x 4", Regular-slotted box has a bursting strength of 175 psi, has a board grade of W5C. With four flaps on top and on bottom. Outer flaps meet when closed; with short inner flaps. Maximum weight of box and contents is 50 lbs. Single-walled weather-resistant box.
NSN # Part # Style	8115-00-183-9500 183-9500 GOVERNMENT BOARD	

Category

CORRUGATED

GOVERNMENT BOARD



8115-00-360-2858



8115001179529

89	NSN # Part # Style	6 X 4 X 4 RSC 8115-00-183-9505 183-9505 GOVERNMENT BOARD	SIZE: 6" x 4" x 4", Regular-slotted box has a bursting strength of 175 psi. With four flaps on top and on bottom. Outer flaps meet when closed; with short inner flaps. Maximum weight of box and contents is 50 lbs. IAW ASTM 5118.
90	NSN # Part # Style	48 x 40 x 36 RSC 8115-00-360-2858 360-2858 GOVERNMENT BOARD	SIZE: 48" X 40" X 36", Regular Slotted Carton (RSC) Heavy Double Wall (DW) Box with a board grade of VIIIC, Weather Resistant. Regular Slotted Cartons feature four flaps on the top and bottom (outer flaps meet when closed).
91	NSN # Part # Style	36 X 84 FIBERBOARD SHEET 8135-00-281-4112 281-4112 GOVERNMENT BOARD	SIZE: 36" x 84", NATURAL, IAW ASTM 4727. Sheet has bursting strength of 400 PSI dry and 150 PSI wet and a board strength of V3C Single-walled sheet consists of two faces of linerboard and filler. Sheet has bursting strength of 400 PSI dry and 150 PSI wet.
92	NSN # Part # Style	36 X 120 FIBERBOARD SHEET 8135-00-281-4113 281-4113 GOVERNMENT BOARD	SIZE: 36" X 120", Natural, IAW ASTM 4727. Sheet has bursting strength of 400 PSI dry and 150 PSI wet and a board strength of V3C Single-walled sheet consists of two faces of linerboard and filler.
93	NSN # Part # Style	60 X 96 FIBERBOARD SHEET 8135-00-281-4115 281-4115 GOVERNMENT BOARD	SIZE: 60" x 96", Natural, IAW ASTM 4727. Sheet has bursting strength of 400 PSI dry and 150 PSI wet and a board strength of V3C Single-walled sheet consists of two faces of linerboard and filler. Sheet has bursting strength of 400 PSI dry and 150 PSI wet. Weather Resistant.
94	NSN # Part # Style	26 x 16 x 19 RSC 8115001179529 8115001179529 GOVERNMENT BOARD	SIZE: 26" x 16" x 19" - Regular-slotted box has a board grade of V3C and bursting strength of 350 psi. Features four flaps on top and on bottom; outer flaps meet when closed. Single-walled weather-resistant board.
95	NSN # Part # Style	16 x 16 x 24 RSC 8115001656599 8115001656599 GOVERNMENT BOARD	SIZE: 16" x 16" x 24" - Regular-slotted box has a board grade of V3C. Features four flaps on top and on bottom; outer flaps meet when closed. Single-walled weather-resistant box. Single-walled weather-resistant board.
96	NSN # Part # Style	16 x 16 x 8 RSC 8115001742349 8115001742349 GOVERNMENT BOARD	SIZE: 16" x 16" x 8" - Regular-slotted box has a board grade of V3C. Features four flaps on top and on bottom; outer flaps meet when closed.

Category

CORRUGATED

GOVERNMENT BOARD



8115001904974



8115010113617

97	6 x 6 x 24 RSC	SIZE: 6" x 6" x 24" – Regular-slotted box has a board grade of V3C. Features four flaps on top and on bottom; outer flaps meet when closed. Single-walled weather-resistant box.
NSN #	8115001904921	
Part #	8115001904921	
Style	GOVERNMENT BOARD	
98	12 x 6 x 12 RSC	SIZE: 12" x 6" x 12" – Regular-slotted box has a board grade of V3C. Features four flaps on top and on bottom; outer flaps meet when closed.
NSN #	8115001904974	
Part #	8115001904974	
Style	GOVERNMENT BOARD	
99	24 x 14 x 24 RSC	SIZE: 24" x 14" x 24" – Regular-slotted box has a board grade of V3C. Features four flaps on top and on bottom; outer flaps meet when closed. Single-walled weather-resistant box.
NSN #	8115001904995	
Part #	8115001904995	
Style	GOVERNMENT BOARD	
100	8 x 6 x 6 RSC	SIZE: 8" x 6" x 6" – Regular-slotted box has a board grade of V3C. Features four flaps on top and on bottom; outer flaps meet when closed.
NSN #	8115002813877	
Part #	8115002813877	
Style	GOVERNMENT BOARD	
101	14 x 14 x 24 RSC	SIZE: 14" x 14" x 24" – Regular-slotted box has a board grade of V3C. Features four flaps on top and on bottom; outer flaps meet when closed. Single-walled weather-resistant box.
NSN #	8115004179319	
Part #	8115004179319	
Style	GOVERNMENT BOARD	
Item	N/A	
102	22 x 22 x 12 RSC	SIZE: 22" x 22" x 12" – Regular-slotted box has a board grade of V3C. Features four flaps on top and on bottom; outer flaps meet when closed. Single-walled weather-resistant box.
NSN #	8115004284145	
Part #	8115004284145	
Style	GOVERNMENT BOARD	
103	11.25 x 8.75 x 3 RSC	SIZE: 11.25" x 8.75" x 3" – Regular-slotted box has a board grade of W5C and bursting strength of 275 psi. Features four flaps on top and on bottom; outer flaps meet when closed.
NSN #	8115010113617	
Part #	8115010113617	
Style	GOVERNMENT BOARD	
104	30 x 20 x 12 RSC	SIZE: 30" x 20" x 12" – Regular-slotted box has a board grade of V3C. Features four flaps on top and on bottom; outer flaps meet when closed. Single-walled weather-resistant box.
NSN #	8115011633446	
Part #	8115011633446	
Style	GOVERNMENT BOARD	
105	24 x 18 x 18 RSC	SIZE: 24" x 18" x 18" – Regular-slotted box has a board grade of V3C. Features four flaps on top and on bottom; outer flaps meet when closed.
NSN #	8115011639189	
Part #	8115011639189	
Style	GOVERNMENT BOARD	

Category

CORRUGATED

GOVERNMENT BOARD



106

40 x 14 x 14 RSC

SIZE: 40" x 14" x 14" – Regular-slotted box has a board grade of V3C. Features four flaps on top and on bottom; outer flaps meet when closed. Single-walled weather-resistant box.

NSN #
Part #
Style

8115011666452
8115011666452
GOVERNMENT BOARD

107

10 x 7 x 2 RSC

SIZE: 10" x 7" x 2" – Regular-slotted box has a board grade of V3C. Features four flaps on top and on bottom; outer flaps meet when closed. Single-walled weather-resistant box.

NSN #
Part #
Style

8115016935844
8115016935844
GOVERNMENT BOARD

108

22.625 x 10 x 16 RSC

SIZE: 22.625" x 10" x 16" – Regular-slotted box has a board grade of W5C. Features four flaps on top and on bottom; outer flaps meet when closed. Single-walled weather-resistant box.

NSN #
Part #
Style

8115001904865
8115001904865
GOVERNMENT BOARD

109

Custom Box or Sheet

Corrugated products available in any configuration!

NSN #
Part #
Style

CUSTOM
CUSTOM
CUSTOM



PONDEROSA
PACKAGING